

4000

Buna O-Ring for ORB



Part No.	ΦD
4000-02	1/8"
4000-03	3/16"
4000-04	1/4"
4000-05	5/16"
4000-06	3/8"
4000-08	1/2"
4000-10	5/8"
4000-12	3/4"
4000-14	7/8"
4000-16	1"
4000-20	1-1/4"
4000-24	1-1/2"
4000-32	2"

4001

Viton® O-Ring for ORB



Part No.	ΦD
4001-03	3/16"
4001-04	1/4"
4001-05	5/16"
4001-06	3/8"
4001-08	1/2"
4001-10	5/8"
4001-12	3/4"
4001-14	7/8"
4001-16	1"
4001-20	1-1/4"
4001-24	1-1/2"
4001-32	2"

6400

JIC x O-Ring Boss



(1) JIC male, (2) ORB male
SAE# 070120 Parker F50X-S
Aeroquip 202702 (Reversed)
Parker 0503 (Reversed)
Weatherhead C5315

Part No.	ΦD(1)	ΦD(2)
6400-02-02	1/8"	1/8"
6400-03-03	3/16"	3/16"
6400-04-02	1/4"	1/8"
6400-04-03	1/4"	3/16"
6400-04-04	1/4"	1/4"
6400-04-05	1/4"	5/16"
6400-04-06	1/4"	3/8"
6400-04-08	1/4"	1/2"
6400-04-10	1/4"	5/8"
6400-04-12	1/4"	3/4"
6400-05-04	5/16"	1/4"
6400-05-05	5/16"	5/16"
6400-05-06	5/16"	3/8"
6400-05-08	5/16"	1/2"
6400-06-04	3/8"	1/4"
6400-06-05	3/8"	1/4"
6400-06-06	3/8"	5/16"
6400-06-08	3/8"	3/8"
6400-06-10	3/8"	1/2"
6400-06-12	3/8"	5/8"
6400-06-16	3/8"	1"
6400-08-04	1/2"	1/4"
6400-08-05	1/2"	1/4"
6400-08-06	1/2"	5/16"
6400-08-08	1/2"	3/8"
6400-08-10	1/2"	1/2"
6400-08-12	1/2"	5/8"
6400-08-16	1/2"	1"
6400-10-06	1/8"	1/8"
6400-10-08	3/16"	3/16"
6400-10-10	1/4"	1/8"
6400-10-12	1/4"	3/16"

6400

JIC x O-Ring Boss (continued)



(1) JIC male, (2) ORB male
SAE# 070120 Parker F50X-S
Aeroquip 202702 (Reversed)
Parker 0503 (Reversed)
Weatherhead C5315

Part No.	ΦD(1)	ΦD(2)
6400-10-14	1/4"	1/4"
6400-10-16	1/4"	5/16"
6400-10-20	1/4"	3/8"
6400-12-06	1/4"	1/2"
6400-12-08	1/4"	5/8"
6400-12-10	1/4"	3/4"
6400-12-12	5/16"	1/4"
6400-12-14	5/16"	5/16"
6400-12-16	5/16"	3/8"
6400-12-20	5/16"	1/2"
6400-14-12	3/8"	1/4"
6400-14-14	3/8"	1/4"
6400-14-16	3/8"	5/16"
6400-16-08	3/8"	3/8"
6400-16-10	3/8"	1/2"
6400-16-12	3/8"	5/8"
6400-16-14	3/8"	1"
6400-16-16	1/2"	1/4"
6400-16-20	1/2"	1/4"
6400-16-24	1/2"	5/16"
6400-20-10	1/2"	3/8"
6400-20-12	1/2"	1/2"
6400-20-16	1/2"	5/8"
6400-20-20	1/2"	1"
6400-20-24	1-1/4"	1-1/2"
6400-24-16	1-1/2"	1-1/4"
6400-24-20	1-1/2"	1"
6400-24-24	1-1/2"	1-1/2"
6400-24-32	1-1/2"	2"
6400-32-24	2"	1-1/2"
6400-32-32	2"	2"

6400L

JIC x O-Ring Boss, Long



(1) JIC male, (2) ORB male
SAE# 070122
Aeroquip 202713 (Reversed)
Weatherhead C5316

Part No.	ΦD(1)	ΦD(2)
6400L-04-04	1/4"	1/4"
6400L-05-05	5/16"	5/16"
6400L-06-06	3/8"	3/8"
6400L-06-08	3/8"	1/2"
6400L-08-08	1/2"	1/2"
6400L-10-08	5/8"	1/2"
6400L-10-10	5/8"	5/8"
6400L-12-12	3/4"	3/4"
6400L-16-16	1"	1"
6400L-20-20	1-1/4"	1-1/4"
6400L-24-24	1-1/2"	1-1/2"

6402

O-Ring Boss x JIC Swivel



(1) ORB male, (2) JIC swivel
Parker F65OX-S

Part No.	ΦD(1)	ΦD(2)
6402-04-04	1/4"	1/4"
6402-04-06	1/4"	3/8"
6402-06-04	3/8"	1/4"
6402-06-06	3/8"	3/8"
6402-06-08	3/8"	1/2"
6402-08-06	1/2"	3/8"
6402-08-08	1/2"	1/2"
6402-10-08	5/8"	1/2"
6402-10-10	5/8"	5/8"
6402-12-12	3/4"	3/4"
6402-16-12	1"	3/4"
6402-16-16	1"	1"
6402-20-20	1-1/4"	1-1/4"
6402-24-24	1-1/2"	1-1/2"

SAE Straight Thread O-Ring Boss (ORB)



www.fittings-adapters.com

6401

O-Ring Boss x Male Pipe

(1) ORB male, (2) NPTF male
Weatherhead C3249

Part No.	ΦD(1)	T(2)
6401-04-02	1/4"	1/8"
6401-04-04	1/4"	1/4"
6401-05-02	5/16"	1/8"
6401-05-04	5/16"	1/4"
6401-06-02	3/8"	1/8"
6401-06-04	3/8"	1/4"
6401-06-06	3/8"	3/8"
6401-06-08	3/8"	1/2"
6401-08-04	1/2"	1/4"
6401-08-06	1/2"	3/8"
6401-08-08	1/2"	1/2"
6401-08-12	1/2"	3/4"
6401-10-06	5/8"	3/8"
6401-10-08	5/8"	1/2"
6401-10-12	5/8"	3/4"
6401-12-06	3/4"	3/8"
6401-12-08	3/4"	1/2"
6401-12-12	3/4"	3/4"
6401-12-16	3/4"	1"
6401-14-12	7/8"	3/4"
6401-16-12	1"	3/4"
6401-16-16	1"	1"
6401-20-16	1-1/4"	1"
6401-20-20	1-1/4"	1-1/4"
6401-24-16	1-1/2"	1"
6401-24-24	1-1/2"	1-1/2"
6401-32-32	2"	2"

6404

Female ORB x Male Pipe

(1) ORB female, (2) NPTF male
Aeroquip 2246 (Reversed)
Parker FHG5-S
Weatherhead C3239

Part No.	ΦD(1)	T(2)
6404-04-02	1/4"	1/8"
6404-04-04	1/4"	1/4"
6404-05-02	5/16"	1/8"
6404-06-04	3/8"	1/4"
6404-06-06	3/8"	3/8"
6404-06-08	3/8"	1/2"
6404-08-06	1/2"	3/8"
6404-08-08	1/2"	1/2"
6404-10-06	5/8"	3/8"
6404-10-08	5/8"	1/2"
6404-12-12	3/4"	3/4"
6404-16-16	1"	1"
6404-16-20	1"	1-1/4"
6404-20-20	1-1/4"	1-1/4"
6404-24-24	1-1/2"	1-1/2"

6407

O-Ring Boss Swivel Union

(1) ORB male, (2) ORB male
Brennan 3474
Parker 0505

Part No.	ΦD(1)	ΦD(2)
6407-04-04	1/4"	1/4"
6407-06-06	3/8"	3/8"
6407-08-08	1/2"	1/2"
6407-10-10	5/8"	5/8"
6407-12-12	3/4"	3/4"
6407-16-16	1"	1"
6407-20-20	1-1/4"	1-1/4"
6407-24-24	1-1/2"	1-1/2"
6407-32-32	2"	2"

6405

JIC x O-Ring Boss, Long

(1) ORB male, (2) NPTF female
Aeroquip 2216 (Reversed)
Parker F50G-S Parker 0502
Weatherhead C3269

Part No.	ΦD(1)	T(2)
6405-04-02	1/4"	1/8"
6405-04-04	1/4"	1/4"
6405-04-06	1/4"	3/8"
6405-05-02	5/16"	1/8"
6405-05-04	5/16"	1/4"
6405-06-02	3/8"	1/8"
6405-06-04	3/8"	1/4"
6405-06-06	3/8"	3/8"
6405-06-08	3/8"	1/2"
6405-08-04	1/2"	1/4"
6405-08-06	1/2"	3/8"
6405-08-08	1/2"	1/2"
6405-08-12	1/2"	3/4"
6405-10-04	5/8"	1/4"
6405-10-06	5/8"	3/8"
6405-10-08	5/8"	1/2"
6405-10-12	5/8"	3/4"
6405-12-06	3/4"	3/8"
6405-12-08	3/4"	1/2"
6405-12-12	3/4"	3/4"
6405-12-16	3/4"	1"
6405-14-08	7/8"	1/2"
6405-14-12	7/8"	3/4"
6405-16-06	1"	3/8"
6405-16-08	1"	1/2"
6405-16-12	1"	3/4"
6405-16-16	1"	1"
6405-16-20	1"	1-1/4"
6405-20-12	1-1/4"	3/4"
6405-20-16	1-1/4"	1"
6405-20-20	1-1/4"	1-1/4"
6405-20-24	1-1/4"	1-1/2"
6405-24-12	1-1/2"	3/4"
6405-24-16	1-1/2"	1"
6405-24-20	1-1/2"	1-1/4"
6405-24-24	1-1/2"	1-1/2"
6405-32-20	2"	1-1/4"
6405-32-24	2"	1-1/2"
6405-32-32	2"	2"

6408

Hex Head ORB Plug

(1) ORB male
Aeroquip 900598 Parker P50N-S
Weatherhead 7237 Parker 05CP

Part No.	ΦD
6408-02	1/8"
6408-03	3/16"
6408-04	1/4"
6408-05	5/16"
6408-06	3/8"
6408-08	1/2"
6408-10	5/8"
6408-12	3/4"
6408-14	7/8"
6408-16	1"
6408-20	1-1/4"
6408-24	1-1/2"
6408-32	2"

6409

Hex Socket ORB Plug

(1) ORB male Parker HP50N-S
SAE# 090109B Parker 05HP
Aeroquip FF2138
Brennan 6408-H
Weatherhead 7238

Part No.	ΦD
6409-02	1/8"
6409-03	3/16"
6409-04	1/4"
6409-05	5/16"
6409-06	3/8"
6409-08	1/2"
6409-10	5/8"
6409-12	3/4"
6409-14	7/8"
6409-16	1"
6409-20	1-1/4"
6409-24	1-1/2"
6409-32	2"

6410

ORB Reducer/Expander




(1) ORB male, (2) ORB female
Aeroquip FF1010 Parker 0510
Parker F50G5-S
Weatherhead 7033

Part No.	ΦD(1)	ΦD(2)
6410-04-04	1/4"	1/4"
6410-04-06	1/4"	3/8"
6410-06-04	3/8"	1/4"
6410-06-06	3/8"	3/8"
6410-06-08	3/8"	1/2"
6410-08-04	1/2"	1/4"
6410-08-06	1/2"	3/8"
6410-08-08	1/2"	1/2"
6410-08-10	1/2"	5/8"
6410-08-12	1/2"	3/4"
6410-10-04	5/8"	1/4"
6410-10-06	5/8"	3/8"
6410-10-08	5/8"	1/2"
6410-10-12	5/8"	3/4"
6410-12-04	3/4"	1/4"
6410-12-06	3/4"	3/8"
6410-12-08	3/4"	1/2"
6410-12-10	3/4"	5/8"
6410-12-12	3/4"	3/4"
6410-12-16	3/4"	1"
6410-14-06	7/8"	3/8"
6410-14-10	7/8"	5/8"
6410-14-12	7/8"	3/4"
6410-16-04	1"	1/4"
6410-16-06	1"	3/8"
6410-16-08	1"	1/2"
6410-16-10	1"	5/8"
6410-16-12	1"	3/4"
6410-16-14	1"	7/8"
6410-16-20	1"	1-1/4"
6410-20-04	1-1/4"	1/4"
6410-20-06	1-1/4"	3/8"
6410-20-08	1-1/4"	1/2"
6410-20-10	1-1/4"	5/8"
6410-20-12	1-1/4"	3/4"
6410-20-16	1-1/4"	1"
6410-20-24	1-1/4"	1-1/2"
6410-24-06	1-1/2"	3/8"
6410-24-08	1-1/2"	1/2"
6410-24-12	1-1/2"	3/4"
6410-24-16	1-1/2"	1"
6410-24-20	1-1/2"	1-1/4"
6410-32-20	2"	1-1/4"
6410-32-24	2"	1-1/2"

6801

JIC x O-Ring Boss 90° Elbow




(1) JIC male, (2) ORB male
SAE# 070220

Aeroquip 2062 (Reversed)
Parker C50X-S Parker 2503
Weatherhead C5515

Part No.	ΦD(1)	ΦD(2)
6801-02-02	1/8"	1/8"
6801-03-03	3/16"	3/16"
6801-04-02	1/4"	1/8"
6801-04-04	1/4"	1/4"
6801-04-05	1/4"	5/16"
6801-04-06	1/4"	3/8"
6801-04-08	1/4"	1/2"
6801-05-04	5/16"	1/4"
6801-05-05	5/16"	5/16"
6801-05-06	5/16"	3/8"
6801-05-08	5/16"	1/2"
6801-06-04	3/8"	1/4"
6801-06-05	3/8"	5/16"
6801-06-06	3/8"	3/8"
6801-06-08	3/8"	1/2"
6801-06-10	3/8"	5/8"
6801-06-12	3/8"	3/4"
6801-08-04	1/2"	1/4"
6801-08-06	1/2"	3/8"
6801-08-08	1/2"	1/2"
6801-08-10	1/2"	5/8"
6801-08-12	1/2"	3/4"
6801-08-16	1/2"	1"
6801-10-06	5/8"	3/8"
6801-10-08	5/8"	1/2"
6801-10-10	5/8"	5/8"
6801-10-12	5/8"	3/4"
6801-10-16	5/8"	1"
6801-12-06	3/4"	3/8"
6801-12-08	3/4"	1/2"
6801-12-10	3/4"	5/8"
6801-12-12	3/4"	3/4"

6801

JIC x O-Ring Boss 90° Elbow




(1) JIC male, (2) ORB male
SAE# 070220

Aeroquip 2062 (Reversed)
Parker C50X-S Parker 2503
Weatherhead C5515

Part No.	ΦD(1)	ΦD(2)
6801-12-14	3/4"	7/8"
6801-12-16	3/4"	1"
6801-12-20	3/4"	1-1/4"
6801-14-14	7/8"	7/8"
6801-16-08	1"	1/2"
6801-16-10	1"	5/8"
6801-16-12	1"	3/4"
6801-16-14	1"	7/8"
6801-16-16	1"	1"
6801-16-20	1"	1-1/4"
6801-20-12	1-1/4"	3/4"
6801-20-16	1-1/4"	1"
6801-20-20	1-1/4"	1-1/4"
6801-20-24	1-1/4"	1-1/2"
6801-24-16	1-1/2"	1"
6801-24-20	1-1/2"	1-1/4"
6801-24-24	1-1/2"	1-1/2"
6801-32-32	2"	2"

6801LLL

JIC x O-Ring Boss 90° Elbow, Triple Long




(1) JIC male, (2) ORB male

Part No.	ΦD(1)	ΦD(2)
6801LLL-08-08	1/2"	1/2"

6801L

JIC x O-Ring Boss 90° Elbow, Long




(1) JIC male, (2) ORB male

Part No.	ΦD(1)	ΦD(2)
6801L-04-04	1/4"	1/4"
6801L-04-06	1/4"	3/8"
6801L-06-06	3/8"	3/8"
6801L-08-08	1/2"	1/2"
6801L-08-10	1/2"	5/8"
6801L-10-10	5/8"	5/8"
6801L-12-12	3/4"	3/4"
6801L-16-16	1"	1"

6801LL

JIC x O-Ring Boss 90° Elbow, Double Long



(1) JIC male, (2) ORB male

Part No.	ΦD(1)	ΦD(2)
6801LL-04-04	1/4"	1/4"
6801LL-04-06	1/4"	3/8"
6801LL-06-06	3/8"	3/8"
6801LL-06-08	3/8"	1/2"
6801LL-08-08	1/2"	1/2"
6801LL-08-10	1/2"	5/8"
6801LL-10-10	5/8"	5/8"
6801LL-12-12	3/4"	3/4"
6801LL-16-16	1"	1"
6801LL-20-20	1-1/4"	1-1/4"

SAE Straight Thread O-Ring Boss (ORB)



www.fittings-adapters.com

6802

JIC x O-Ring Boss
45° Elbow



(1) JIC male, (2) ORB male
SAE# 070320
Aeroquip 2061 (Reversed)
Parker V5OX-S Parker 3503
Weatherhead C5365

Part No.	ΦD(1)	ΦD(2)
6802-04-04	1/4"	1/4"
6802-04-05	1/4"	5/16"
6802-04-06	1/4"	3/8"
6802-04-08	1/4"	1/2"
6802-05-04	5/16"	1/4"
6802-05-05	5/16"	5/16"
6802-05-06	5/16"	3/8"
6802-06-04	3/8"	1/4"
6802-06-05	3/8"	5/16"
6802-06-06	3/8"	3/8"
6802-06-08	3/8"	1/2"
6802-06-10	3/8"	5/8"
6802-08-06	1/2"	3/8"
6802-08-08	1/2"	1/2"
6802-08-10	1/2"	5/8"
6802-08-12	1/2"	3/4"
6802-10-08	5/8"	1/2"
6802-10-10	5/8"	5/8"
6802-10-12	5/8"	3/4"
6802-12-08	3/4"	1/2"
6802-12-10	3/4"	5/8"
6802-12-12	3/4"	3/4"
6802-12-16	3/4"	1"
6802-14-14	7/8"	7/8"
6802-14-16	7/8"	1"
6802-16-12	1"	3/4"
6802-16-16	1"	1"
6802-16-20	1"	1-1/4"
6802-20-16	1-1/4"	1"
6802-20-20	1-1/4"	1-1/4"
6802-24-20	1-1/2"	1-1/4"
6802-24-24	1-1/2"	1-1/2"
6802-32-32	2"	2"

6803

JIC x O-Ring Boss
Branch Tee



(1) JIC male, (2) JIC male,
(3) ORB male Parker S5OX-S
SAE# 070429 Parker 253T
Aeroquip 203003 (Reversed)
Weatherhead C5715

Part No.	ΦD(1)	ΦD(2)	ΦD(3)
6803-04-04-04	1/4"	1/4"	1/4"
6803-04-04-06	1/4"	1/4"	3/8"
6803-05-05-05	5/16"	5/16"	5/16"
6803-06-06-04	3/8"	3/8"	1/4"
6803-06-06-06	3/8"	3/8"	3/8"
6803-06-06-08	3/8"	3/8"	1/2"
6803-08-08-06	1/2"	1/2"	3/8"
6803-08-08-08	1/2"	1/2"	1/2"
6803-08-08-10	1/2"	1/2"	5/8"
6803-10-10-08	5/8"	5/8"	1/2"
6803-10-10-10	5/8"	5/8"	5/8"
6803-12-12-10	3/4"	3/4"	5/8"
6803-12-12-12	3/4"	3/4"	3/4"
6803-12-12-16	3/4"	3/4"	1"
6803-14-14-14	7/8"	7/8"	7/8"
6803-16-16-12	1"	1"	3/4"
6803-16-16-16	1"	1"	1"
6803-20-20-20	1-1/4"	1-1/4"	1-1/4"
6803-24-24-24	1-1/2"	1-1/2"	1-1/2"

6805LL

O-Ring Boss x Female Pipe 90°
Elbow, Extra Long



(1) ORB male, (2) NPTF female
Parker AE4OG-S
Weatherhead C3469

Part No.	ΦD(1)	T(2)
6805LL-08-06	1/2"	3/8"
6805LL-12-12	3/4"	3/4"
6805LL-16-16	1"	1"

6804

JIC x O-Ring Boss Run Tee



(1) JIC male, (2) JIC male,
(3) ORB male Parker R5OX-S
SAE# 070428 Parker 053T
Aeroquip 203005 (Reversed)

Part No.	ΦD(1)	ΦD(2)	ΦD(3)
6804-04-04-04	1/4"	1/4"	1/4"
6804-04-06-04	1/4"	3/8"	1/4"
6804-05-05-05	5/16"	5/16"	5/16"
6804-06-06-06	3/8"	3/8"	3/8"
6804-06-08-06	3/8"	1/2"	3/8"
6804-08-06-08	1/2"	3/8"	1/2"
6804-08-08-08	1/2"	1/2"	1/2"
6804-08-10-08	1/2"	5/8"	1/2"
6804-08-12-04	1/2"	3/4"	1/4"
6804-08-12-08	1/2"	3/4"	1/2"
6804-10-08-10	5/8"	1/2"	5/8"
6804-10-10-10	5/8"	5/8"	5/8"
6804-10-12-10	5/8"	3/4"	5/8"
6804-12-08-12	3/4"	1/2"	3/4"
6804-12-10-12	3/4"	5/8"	3/4"
6804-12-12-12	3/4"	3/4"	3/4"
6804-12-12-16	3/4"	3/4"	1"
6804-12-16-12	3/4"	1"	3/4"
6804-14-14-14	7/8"	7/8"	7/8"
6804-16-12-16	1"	3/4"	1"
6804-16-16-16	1"	1"	1"
6804-20-20-20	1-1/4"	1-1/4"	1-1/4"
6804-24-24-24	1-1/2"	1-1/2"	1-1/2"

6805

O-Ring Boss x Female Pipe
90° Elbow



(1) ORB male, (2) NPTF female
Aeroquip 206801 (Reversed)
Parker AE0G-S
Weatherhead C3459

Part No.	ΦD(1)	T(2)
6805-04-02	1/4"	1/8"
6805-04-04	1/4"	1/4"
6805-05-02	5/16"	1/8"
6805-06-04	3/8"	1/4"
6805-06-06	3/8"	3/8"
6805-08-06	1/2"	3/8"
6805-08-08	1/2"	1/2"
6805-10-08	5/8"	1/2"
6805-12-08	3/4"	1/2"
6805-12-12	3/4"	3/4"
6805-14-12	7/8"	3/4"
6805-16-12	1"	3/4"
6805-16-16	1"	1"
6805-20-20	1-1/4"	1-1/4"
6805-24-24	1-1/2"	1-1/2"
6805-32-32	2"	2"

6806

O-Ring Boss x Male Pipe
90° Elbow



(1) ORB male, (2) NPTF male
Weatherhead TF3569

Part No.	ΦD(1)	T(2)
6806-04-02	1/4"	1/8"
6806-04-04	1/4"	1/4"
6806-05-02	5/16"	1/8"
6806-06-04	3/8"	1/4"
6806-06-06	3/8"	3/8"
6806-08-06	1/2"	3/8"
6806-08-08	1/2"	1/2"
6806-10-08	5/8"	1/2"
6806-12-12	3/4"	3/4"
6806-14-12	7/8"	3/4"
6806-16-12	1"	3/4"
6806-16-16	1"	1"
6806-20-20	1-1/4"	1-1/4"
6806-24-24	1-1/2"	1-1/2"
6806-32-32	2"	2"

6807

O-Ring Boss Male 90° Elbow



(1) ORB male, (2) ORB male

Part No.	ΦD(1)	ΦD(2)
6807-04-04	1/4"	1/4"
6807-06-06	3/8"	3/8"
6807-08-06	1/2"	3/8"
6807-08-08	1/2"	1/2"
6807-10-08	5/8"	1/2"
6807-10-10	5/8"	5/8"
6807-12-12	3/4"	3/4"
6807-16-16	1"	1"
6807-20-20	1-1/4"	1-1/4"
6807-24-24	1-1/2"	1-1/2"

6809

O-Ring Boss x JIC Swivel 90° Elbow



(1) ORB male, (2) JIC swivel

Part No.	ΦD(1)	ΦD(2)
6809-04-04	1/4"	1/4"
6809-06-06	3/8"	3/8"
6809-08-06	1/2"	3/8"
6809-08-08	1/2"	1/2"
6809-10-08	5/8"	1/2"
6809-10-10	5/8"	5/8"
6809-12-10	3/4"	5/8"
6809-12-12	3/4"	3/4"
6809-16-16	1"	1"
6809-20-20	1-1/4"	1-1/4"

6815

O-Ring Boss 90° Elbow



(1) ORB male, (2) ORB female

Parker AOEG5-S

Part No.	ΦD(1)	T(2)
6815-04-04	1/4"	1/4"
6815-06-06	3/8"	3/8"
6815-08-08	1/2"	1/2"
6815-12-08	3/4"	1/2"
6815-12-12	3/4"	3/4"

6900

O-Ring Boss x Female Pipe Swivel



(1) ORB male, (2) NPSM swivel
SAE# 140157 Parker 0507
Aeroquip 2066 (Reversed)
Weatherhead 9315

Part No.	ΦD(1)	T(2)
6900-04-02	1/4"	1/8"
6900-04-04	1/4"	1/4"
6900-04-06	1/4"	3/8"
6900-05-04	5/16"	1/4"
6900-06-04	3/8"	1/4"
6900-06-06	3/8"	3/8"
6900-06-08	3/8"	1/2"
6900-08-04	1/2"	1/4"
6900-08-06	1/2"	3/8"
6900-08-08	1/2"	1/2"
6900-08-12	1/2"	3/4"
6900-10-06	5/8"	3/8"
6900-10-08	5/8"	1/2"
6900-10-12	5/8"	3/4"
6900-12-08	3/4"	1/2"
6900-12-12	3/4"	3/4"
6900-12-16	3/4"	1"
6900-14-12	7/8"	3/4"
6900-16-12	1"	3/4"
6900-16-16	1"	1"
6900-16-20	1"	1-1/4"
6900-20-16	1-1/4"	1"
6900-20-20	1-1/4"	1-1/4"
6900-24-20	1-1/2"	1-1/4"
6900-24-24	1-1/2"	1-1/2"
6900-32-32	2"	2"

6901

O-Ring Boss x Female Pipe Swivel 90° Elbow



(1) ORB male, (2) NPSM swivel
SAE# 140257 Parker 2507
Aeroquip 2068 (Reversed)
Weatherhead 9515

Part No.	ΦD(1)	T(2)
6901-04-02	1/4"	1/8"
6901-04-04	1/4"	1/4"
6901-04-06	1/4"	3/8"
6901-06-04	3/8"	1/4"
6901-06-06	3/8"	3/8"
6901-06-08	3/8"	1/2"
6901-08-04	1/2"	1/4"
6901-08-06	1/2"	3/8"
6901-08-08	1/2"	1/2"
6901-08-12	1/2"	3/4"
6901-10-04	5/8"	1/4"
6901-10-06	5/8"	3/8"
6901-10-08	5/8"	1/2"
6901-10-12	5/8"	3/4"
6901-12-06	3/4"	3/8"
6901-12-08	3/4"	1/2"
6901-12-12	3/4"	3/4"
6901-12-16	3/4"	1"
6901-14-12	7/8"	3/4"
6901-16-12	1"	3/4"
6901-16-16	1"	1"
6901-16-20	1"	1-1/4"
6901-20-12	1-1/4"	3/4"
6901-20-16	1-1/4"	1"
6901-20-20	1-1/4"	1-1/4"
6901-24-24	1-1/2"	1-1/2"
6901-32-32	2"	2"

6902

O-Ring Boss x Female Pipe Swivel 45° Elbow



(1) ORB male, (2) NPSM swivel
SAE# 140357 Parker 3507
Aeroquip 2067 (Reversed)
Weatherhead 9365

Part No.	ΦD(1)	T(2)
6902-04-04	1/4"	1/4"
6902-06-04	3/8"	1/4"
6902-06-06	3/8"	3/8"
6902-06-08	3/8"	1/2"
6902-08-06	1/2"	3/8"
6902-08-08	1/2"	1/2"
6902-08-10	1/2"	5/8"
6902-08-12	1/2"	3/4"
6902-10-06	5/8"	3/8"
6902-10-08	5/8"	1/2"
6902-10-12	5/8"	3/4"
6902-12-08	3/4"	1/2"
6902-12-12	3/4"	3/4"
6902-16-12	1"	3/4"
6902-16-16	1"	1"
6902-20-20	1-1/4"	1-1/4"
6902-24-24	1-1/2"	1-1/2"

6900SS

O-Ring Boss x Female Pipe Swivel



(1) ORB male, (2) NPSM swivel

We are also manufacturing ALL these items with Stainless Steel

SS304, SS316, SS316L

Nomenclature suffix "S4"(SS304) "S6"(SS316) "S6L"(SS316L) on Series number, for example 6900S6L-06-04